,	$\overline{}$	11
1	Ċ,	Ш
	۱/	IJÐ

	Application No.	Applicant(s)		
	10/706,890	TODA ET AL.		
Notice of Allowability	Examiner	Art Unit		
	Eric B. Compton	3726		
— The MAILING DATE of this communication appears on the cover sheet with the correspondence address— All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. ☒ This communication is responsive to an application filed November 13, 2003.				
 This communication is responsive to <u>an application med No</u> The allowed claim(s) is/are <u>1 and 2</u>. 	<u> </u>			
 The anowed claim(s) israre <u>r and z</u>. The drawings filed on <u>13 November 2003</u> are accepted by 	the Evaminer			
4. Acknowledgment is made of a claim for foreign priority una a)	der 35 U.S.C. § 119(a)-(d) or (f). been received. been received in Application No. <u>09</u> cuments have been received in this	complying with the requirements S AMENDMENT or NOTICE OF tion is deficient.		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Au. 1 4/)				
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. Notice of Informal Page	atent Application (PTO-152)		
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary			
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date Examiner's Comment Regarding Requirement for Deposit 	•			
of Biological Material	9. Other			

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the Specification, Page 1, line 5, --now U.S. Pat. 6,672,769.— has been added after "Serial No. 09/902,245, filed July 10, 2001"

Remarks

- 2. The priority statement was amended to reflect the issuance of the parent application.
- 3. Claims 1-2 are allowed.
- 4. The following is an examiner's statement of reasons for allowance: the prior art of record does not teach or suggest a method of producing a bearing apparatus (of the type shown in Fig. 1), wherein the female splines on the inner peripheral surface of the hollow shaft are either formed or subject to a secondary working step after caulking the end of the hollow shaft over the inner ring, in combination with the other claimed subject matter.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Application/Control Number: 10/706,890

Art Unit: 3726

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

- 5. Applicant's characterization of the prior art is germane. See Specification, pages 1-3. The prior art is generally silent with respect to forming the female splines or discloses forming the splines prior to the caulking step.
- 6. U.S. Pat. 6,908,231, Col. 5, lines 33-47, discloses with respect to the then prior art that re-processing of the female spine was necessary after caulking. The reference however, teaches away from such a method. Col. 6, line 64 Col. 7, line 2. Furthermore, due to a later effective filing date the reference does not constitute prior art.
- 7. JP 2004-203213 & JP 2002-303332 discloses forming and correcting the female splines after caulking. However, due to a later effective filing dates these references do not constitute prior art.

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Eric B. Compton whose telephone number is (571) 272-4527. The examiner can normally be reached on M-F, 9-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David p. Bryant can be reached on (571) 272-4526. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Page 4

Application/Control Number: 10/706,890

Art Unit: 3726

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Eric B. Compton Primary Examiner Art Unit 3726

Art Unit 3/26

ebc